

BOROPLUS

Liquid Nutrient

GENERAL INFORMATION

BOROPLUS (0-0-0) is a water soluble boron product which may be applied either by foliar spray or fertigation to treat or prevent boron deficiency.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, or skin. Avoid contact with eyes, skin, and clothing.

CONDITIONS OF SALE

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of Nutrecology or the seller. All such risks shall be assumed by buyer.

WARNING

This product contains boron and may harmful to certain crops. Use only according to manufacturer's directions.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

GUARANTEED ANALYSIS

Boron (B) 11.0 %
Derived from: Boron Ethanoalamine

WARNING

• DO NOT mix BOROPLUS with oils or other compounds with an alkaline reaction.

SHAKE WELL BEFORE USING

DIRECTIONS FOR MIXING

BOROPLUS will disperse in water with little agitation. Any residue in pails is water-soluble. Triple rinse and add contents to the spray tank. Do not reuse container. **TANK MIXES:** Do not mix with pesticides or any other chemicals without a compatibility test. An adequate test for compatibility involves mixing in a small container the proper proportions of the intended tank mix products with the intended volume of water. Agitate and let stand for one hour. If a precipitate forms then apply the products separately. Any tank mixes should be discussed and/or approved with your local distributor prior to mixing and application.

CLEANING OF SPRAYER

Flush with clean water all parts of the sprayer including the pump, hoses, and nozzles several times prior to and after the use of this product.



Valagro[®]



DO NOT SELL UNPACKED

FOLIAR APPLICATION RATES

Crop	Foliar Rate (pints per acre)	Timing
Pears	0.5	1st application at pre-bloom, 2nd applic. after fruit set
Apples	0.5	1st application at 30% bloom, 2nd application at 60% bloom, 3rd applic. at petal fall, 4th applic. at fruit growth
Citrus	0.5 - 1.0	1st application at pre-bloom, 2nd applic. at bloom, 3rd applic. after fruit set
Olives	1.0 - 1.5	1st application at pre-bloom, 2nd applic. after fruit set
Stone Fruits	0.5 - 1.0	1st application after petal fall, 2nd applic. after fruit set
Grapes	0.5 - 1.0	1st application at pre-bloom, 2nd applic. after fruit set
Sugar Beets	0.5 - 1.0	1st application at the 4-6 true leaf stage, 2nd applic. 20-25 days after the first
Corn, Peanuts, Cotton	0.5 - 1.0	Make applications at the beginning of vegetative development
Vegetables	1.0	Make application at bloom
Ornamentals	0.5 - 1.0	Make application prior to the formation of flower buds

NOTE: BOROPLUS should be applied in a minimum volume of 50 gallons per acre

FERTIGATION RATE: Use 3.0 to 4.0 pints per acre

IRRIGATION: The specific irrigation equipment and irrigation system must conform to federal, state, and local regulations pertaining to the fertilization of plants through injection system and should be calibrated accurately prior to any application. The irrigation system should be operated to achieve maximum distribution uniformity to avoid plant injury and/or ineffectiveness. For best results, apply BOROPLUS toward the end of the irrigation cycle allowing for sufficient time for the product to be flushed out of the entire irrigation system before turning off the irrigation water. Flush and clean all parts with water including any pumps, hoses or nozzles after use of this product.

Produced and packed by:

VALAGRO S.p.A. Zona Ind.le - 66041 Atessa (Ch) - ITALY

Distributed and guaranteed by:

Nutrecology, Inc.

19500 Hwy 249, suite 245, Houston TX 77070

Tel (281) 664 8700 Fax (281) 664 8701

WEIGHT PER GALLON: 10 Pounds

NET VOLUME

2.5 Gallons (9.5 Liters)

NET WEIGHT

25.4 Lb (11.5 kg)

BOROPLUS[®] is a Registered Trademark of VALAGRO S.p.A.



Valagro[®]