



Liquid Nutrient for Horticultural and Field Crops

GUARANTEED ANALYSIS

Boron (B)	0.5 %
Zinc (Zn)	1.5 %
	1.5 % chelated Zinc (Zn)

Derived from: Boric Acid;
Zinc EDTA (Ethylendiaminetetraacetic acid).

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

33 % Seaweed Extract (*Ascophyllum nodosum*)

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

MC set[®] is a Registered Trademark of VALAGRO S.p.A.

CAUTION

MC set can be mixed with the most common fertilizers and chemicals. Applied with Copper based product may create phytotoxicity problem. If associated with Calcium based product is advisable to conduct a jar test prior to the application. It is advisable not to mix in alkaline solutions.

WARNING: This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention.

GENERAL INFORMATION

MC Set (0-0-0) is a liquid nutrient developed to support a nutritional program in reproductive growth

CLEANING OF SPRAYER

Flush with clean water all parts of the sprayer including the pump, hoses, and nozzles several times prior to and after the use of this product.

SHAKE WELL BEFORE USING

Produced and packed by **VALAGRO S.p.A.**

Zona Ind.le - 66041 ATESSA (Ch) - ITALY

Distributed and guaranteed by

Nutrecology, Inc.

19500 Hwy 249, suite 245, Houston TX 77070

Tel (281) 664 8700 Fax (281) 664 8701



TIMING AND RATE OF APPLICATION:

FOLIAR TREATMENT			
CROP	RATE	SPRAY VOLUME	APPLICATIONS
FRUIT BEARING VEGETABLES: Including but not limited to pepper, eggplant, zucchini, melon, cucumber, squash, tomato	20-32 oz/acre	Use in a minimum of 100 gallons per acre	Apply at the beginning of flowering. May be repeated every 7 to 10 days thereafter through the fruit sizing period
OTHER VEGETABLES: Including but not limited to artichoke, asparagus, broccoli, cabbage, carrots, cauliflower, celery, garlic, onions, lettuce, spinach	20-32 oz/acre	Use in a minimum of 40 gallons per acre	Apply 30 days after transplant or after branching/row covering as applicable. Repeat applications may be made every 10 to 14 days
TREE & VINE CROPS: Including but not limited to almonds, apples, cherries, blueberries, citrus, cranberries, pecans, pears, pistachios, walnuts, strawberries, stone fruit, kiwi, grapes (raisin, table, wine)	20-32 oz/acre	Use in a minimum of 100 gallons per acre	Apply at the beginning of flowering. May be repeated every 7 to 10 days thereafter through the fruit/nut sizing period
FIELD CROPS: Including but not limited to barley, corn, cotton, peanuts, peas, snapbeans, potatoes, rice, sorghum, soybeans, sunflowers, sugar cane, sugar beets, wheat	16 oz/acre	Apply in 3 to 20 gallons per acre	Apply early to mid bloom, at pegging (peanuts) or 8-10 leaf stage (sugar beets). A second application may be applied 10 to 14 days later

DIRECTIONS FOR TANK MIXES

MC set can be tank mixed with pesticides, fertilizers or any other chemicals. It is always advised to conduct a compatibility test.

CONDITIONS OF SALE: Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or others factors, all of which are beyond the control of NutrEcology or the seller. All such risks shall be assumed by buyer.

4425-412707P-4ER



DO NOT SELL UNPACKED

WEIGHT PER GALLON: 9.43 Pounds

NET VOLUME

NET WEIGHT

2.5 Gallons (9.46 Liters) 23.6 lb (10.7 kg)



Valagro®

